

Attending:

- Michael Royko, BASF
- Ben Arceneaux, Nutrasource
- Charles Perez, KD Pharma
- Katrina Benedicto, Nuseed
- Guido Medina, Pesquera Diamante
- Brett Glencross, IFFO
- Morgan Smith, Seafood Watch
- Santi Roberts, Seafood Watch
- Baldur Hjaltason
- Stuart Monteith, MBP Solutions
- GOED: Ellen Schutt, Chris Gearheart

Meeting agenda

-  [\[Watch the recording\]](#)
 - Passcode: f3rQ@@j*
- **Committee housekeeping**
 - First-time introductions
 - Stuart (MBP Solutions): New representative stepping into the committee role.
 - Brett Glencross (IFFO): Technical Director, expressed interest in today's topic and outlined his technical expertise overlapping with Chris' role.
 - Member sustainability kudos
 - Golden Omega: Achieved a 76% validation rate in the Stakeholders Sustainable Index (SS Index), reflecting largely positive stakeholder feedback. This data is detailed in their latest sustainability report.
 - TASA: Released their 2024 sustainability report, announcing goals to reduce GHG emissions by 20% and water consumption by 35%, and reporting 55% of waste repurposed for circularity.
 - KD Pharma & Ocean Blue: Partnered with B Corp-certified 4Ocean to remove 50,000 pounds of ocean plastic over the next two years,

continuing a collaboration discussed on the October 2023 committee call.

- Open Call for Accomplishments: Chris invited additional highlights from members, encouraging them to email any achievements for inclusion in future meetings or newsletters.
- New sustainability portal
 - [Click here to review the new portal](#) if you missed it in *The GOED Current*.
 - Launch: Chris provided a demo of GOED's new sustainability educational portal, designed to offer resources for both public and members.
 - Features:
 - Interactive modules covering Omega-3 sustainability history, environmental, social, and governance topics.
 - A living table listing sustainability resources and schemes used by members, updated through voluntary surveys.
 - Direct links to GOED's Horizon Scan and materiality assessment.
 - Engagement: Members were encouraged to review the portal, contribute feedback, and explore pathways for further engagement in sustainability efforts.
- **Presentation**
 - Speakers
 - Morgan Smith (Senior Market Engagement Manager)
 - Santi Roberts (Senior Science Program Manager)
 - Organization Overview:
 - Mission to equip businesses and consumers with seafood sustainability insights through science-based assessments and a user-friendly color-coded rating system.
 - Evolving focus on consumer engagement to deeper business

partnerships and global influence, including human rights due diligence and producer support.

- Peruvian Anchoveta Rating Update:
 - First-ever ratings for the Peruvian anchoveta fishery. The industrial north-central Peru fleet achieved a "green" (Best Choice) rating.
 - Key factors: Excellent stock management with precautionary reference points, comprehensive bycatch mitigation measures, strong research and monitoring, and proactive management strategy evaluations.
- Clarifications:
 - The fishery's new inclusion in Seafood Watch's assessments reflects increased global interest in its sustainability, particularly due to its role in aquaculture feed.
 - The previous absence of this fishery from ratings was due to its limited presence in direct-to-consumer products in the U.S.
- Seafood Watch Standards & Process:
 - Criteria: Stock status (C1), bycatch and other species impacts (C2), management effectiveness (C3), and ecosystem impacts (C4).
 - Rating Process: Includes desk-based data collection, expert review, public comment, and report publication, covering around 3000 ratings globally.
 - Current App Notice: The Seafood Watch app is no longer supported; members are encouraged to use the website for updated information.
- **Discussion / Q&A**
 - Clarification that the Peruvian anchoveta rating is driven by sustainability concerns for aquaculture feed rather than consumer retail demand.
 - Questions about including supplements in future Seafood Watch on-pack labeling; Morgan noted this is under consideration.
 - Request for clarification on Seafood Watch's assessment criteria, especially C1 (stock status).

- **Next Committee Calls**

- June 18, 2025 | [\[Click for your local time\]](#) (**Unusual time**)
 - Topic: Sally Townsend, the Head of Sustainability at Australian GOED member Blackmores, will discuss the brand's new B-Corp certification. This accomplishment makes the company one of only two GOED members and three total omega-3-selling brands to earn the certification.
 - **This call will be held at 8:00 UTC** to accommodate our speaker and other committee members in the Eastern hemisphere who haven't been able to join committee calls due to time zone challenges.
- July 16, 2025 | [\[Click for your local time\]](#)
 - Topic: Austral Group's COO, Didier Saplana, will explain findings from the company's recent life cycle assessment (LCA) of its products from the Peruvian anchovy fishery.

GOED Sustainability Committee Call

Main Topic: Seafood Watch and its
“Green” Rating of the
Peruvian anchovy fishery

May 28, 2025



Monterey Bay Aquarium
Seafood Watch

GOED
OMEGA-3

Agenda

- **Committee housekeeping**
 - First-time introductions
 - Member sustainability kudos
 - New sustainability portal
- **Presentation**
 - Seafood Watch, the US seafood sustainability organization associated with the Monterey Bay Aquarium, will give context on their recent positive rating change for the industrial Peruvian anchovy fishery rating from “yellow” to “green.”
- **Discussion / Q&A**
- **Next Committee Calls**

Member Kudos

Golden Omega

Golden Omega accomplished a **76% validation rate** among its ESG stakeholders (its clients, suppliers, employees, the local community and more), reflecting largely positive feedback from non-self-reported sources.

01

The **Stakeholders Sustainable Index (SSIndex)** measures the sustainability and level of satisfaction of our operations among various stakeholder groups such as clients, employees, suppliers, and other relevant agents.



After the 2024 evaluation, the Sustainable Supply Foundation achieved a global score of 76%, reflecting the extra assessment carried out in environmental, social, and governance (ESG) compliance.



888 individuals were surveyed about their experiences and suggestions of the company's ESG practices, and we are proud to certify these important aspects of our business.



Member Kudos

TASA

TASA released its 2024 Sustainability Report, which included a commitment to reduce the company's GHG emissions by 20% and water consumption by 35% by 2030. The company has also managed to repurpose 55% of its waste.




Member Kudos

KD Pharma | Ocean Blue

KD Pharma's Ocean Blue brand has partnered with B-Corp certification organization 4Ocean to remove 50,000 pounds of ocean plastic over the next two years.

Long-time committee members will remember that we heard a presentation from 4Ocean during October 2023's committee call.



New sustainability portal

- Launched this month
- In development since 2024
- Draws on perspectives and activities started in 2020 as part of the GOED 2025 plan
- Shaped by feedback given by the committee in March 2024.

KD LabService™

Visit us at Vitafoods Booth 3J119

Your Partner for FIRST-CLASS LIPID ANALYSIS

Awarded by GOED in 2024

Learn more



[View in browser](#) | May 12, 2025

GOED

The GOED Current

GOED Launches Sustainability Website for Members, Public



GOED has created a [new educational portal](#) on our website to showcase the sustainability of the omega-3 category. The portal describes the current status of the industry, includes details by omega-3 source and catalogs the work GOED has done to better understand ESG issues that could impact the category. While the bulk of the site is public-facing, there is a special

New sustainability portal

[DEMO]



[About](#)[Membership](#)[Research & Data](#)[Resources](#)[News & Events](#)[Shop Now](#)

 Search

 Dashboard

Exploring the sustainability of EPA and DHA omega-3s

The EPA and DHA omega-3 industry, which is made up a variety of unique global sources for this important nutrient for human health, incorporates key principles of a circular economy by upcycling marine and other byproducts into valuable nutritional ingredients.

The largest categories of omega-3 ingredients come from **transparently managed fisheries**.

0:00 / 0:29

Omega-3 Sustainability

- Exploring the sustainability of EPA and DHA omega-3s
- Omega-3 sustainability: a long tradition
- What does "sustainable" mean in the today's omega-3 industry?
- The breadth and complexity of the EPA+DHA supply chain
- Sustainability by omega-3 source
- The omega-3 industry's sustainability progress: GOED's role
- [Members Only] How can a

Overview

EPA+DHA omega-3s, also known as eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA), are found in many kinds of seafood and dietary supplement products from fish, krill, algae and other oils. These fatty acids are well studied nutrients with more than 50,000 published papers and various health benefits for all humans throughout all life stages.

The best way to get EPA+DHA omega-3s is a diet with 3-5 servings of oily fish per week — commonly salmon, mackerel, anchovy, sardines or herring. A vast network of seafood manufacturers worldwide brings these products to consumers. In many markets, this seafood is easy to buy from responsibly harvested fisheries, and offerings often have sustainability certifications from MSC or Friend of the Sea. EPA+DHA omega-3s are also attainable through consuming dietary

Agenda

- **Committee housekeeping**
 - First-time introductions
 - Member sustainability kudos
 - New sustainability portal
- **Presentation**
 - Seafood Watch, the US seafood sustainability organization associated with the Monterey Bay Aquarium, will give context on their recent positive rating change for the industrial Peruvian anchovy fishery rating from “yellow” to “green.”
- **Discussion / Q&A**
- **Next Committee Calls**

GOED Sustainability Committee

Monterey Bay Aquarium Seafood Watch Discussion

Morgan Smith, Sr. Market Engagement Manager

Santi Roberts, Senior Science Manager



**Monterey Bay
Aquarium**

A fisherman in a red shirt is on a boat, pulling a large fish from the water. The scene is set at sunset, with the sun low on the horizon, creating a warm, golden glow. The fish is silvery with dark stripes and is leaping out of the water, with water droplets visible around it. The fisherman is looking at the fish with a focused expression.

The Monterey Bay Aquarium
Seafood Watch program helps
consumers and businesses make
choices for a healthy ocean.



Monterey Bay Aquarium
Seafood Watch

Seafood Watch levers for change

Define seafood sustainability



We assess the environmental impacts of seafood, then rate and recommend sustainable options.

Drive market demand



We increase public awareness that, in turn, grows market demand for sustainable seafood.

Partner with business



We partner with businesses to help them develop and implement commitments to purchase sustainable seafood.

Work with producers



We work collaboratively with seafood producers to drive change in fishing and aquaculture practices.

Engage governments



We engage policymakers to strengthen fisheries and aquaculture governance.

Seafood Watch recommendations

Recommendations are advice to consumers and businesses that correspond to the ratings system.



Best Choice

Buy first. Green-rated seafood is well managed and caught or farmed in an environmentally responsible manner. It poses a low environmental risk.



Good Alternative

Buy if a green-rated option is not available. This seafood poses a moderate environmental risk.



Avoid

Take a pass on this red-rated seafood for now because it poses a high risk to the environment.

Fisheries Standard

Impacts on the
stock



Impacts on other
species



Management
effectiveness



Impacts on habitats
and ecosystems



Aquaculture Standard

Data



Effluent




Habitat




Chemical use



Feed



Escapes



Disease



Source of
stock



Wildlife
mortalities



Secondary
introductions

Seafood Watch assessment process

Collect information
and begin assessment



We gather and review publicly available data about the selected fishery or aquaculture operation and write the initial draft assessment.

Solicit expert
review



We ask outside experts to review the draft assessment to ensure accuracy and completeness.

Open for public
comment



We invite public comment on the draft assessment to encourage input from all stakeholders.

Complete
assessment




We thoroughly review all relevant information into the draft assessment and conduct a final internal review.

Publish final
assessment



Once final, all Seafood Watch assessments and resulting ratings and recommendations are published on our website and shared through our monthly email updates.

Environmental Performance of Fisheries & Aquaculture



Business Partnerships

Today, over 50 percent of U.S. consumers say that buying sustainable seafood is personally important and many are willing to pay a premium. Making a commitment to source responsible seafood is not only an important action to drive positive change — it's also good for business.



CERTIFICATIONS

RATINGS



Aquaculture

Environmental & Social

Individual farms or groups of farms

Includes chain of custody



Wild Capture

Environmental & Forced Labor

Groups defined by stocks, gears, vessels

Includes chain of custody



Wild Capture

Environmental & Social

Small-to-medium-scale fishermen

Includes chain of custody and Fair Trade premium



Aquaculture & Wild Capture

Environmental

Regional aquaculture; specific fisheries

Ratings cover full range of low-to-high performance



Aquaculture & Wild Capture

Environmental

Aquaculture zones; specific fisheries

Ratings identify improvement priorities

MontereyBayAquarium.org

Anchoveta, Peru and Chile

SPECIES/STOCK	COUNTRY	MANAGEMENT UNITS	SPECIFIC FISHERY	C1	C2	C3	C4	RECOMMENDATION	VOLUME (MT)
Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Industrial fleet	5.000	2.236	4.000	3.464	Best Choice (3.528)	4,916,307 (MT)
▶ Anchoveta South Peru - North Chile stock	Peru	South Peru-North Chile	Industrial fleet	5.000	1.732	3.000	3.464	Good Alternative (3.080)	242,302 (MT)
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Industrial anchoveta fishery	5.000	1.732	3.000	3.464	Good Alternative (3.080)	129,437 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Artisanal anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	198,532 (MT)
▶ Anchoveta Central - North Chile stock	Chile	Central North Region (Atacam...	Artisanal anchoveta fishery	3.873	2.236	3.000	3.464	Good Alternative (3.080)	
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Artisanal anchoveta fishery	5.000	2.236	3.000	3.464	Best Choice (3.283)	164,942 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Industrial anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	0 (MT)
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Artisanal fleet	5.000	2.644	4.000	3.464	Best Choice (3.679)	98,910 (MT)

Anchoveta, Peru and Chile

SPECIES/STOCK	COUNTRY	MANAGEMENT UNITS	SPECIFIC FISHERY	C1	C2	C3	C4	RECOMMENDATION	VOLUME (MT)
Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Industrial fleet	5.000	2.236	4.000	3.464	Best Choice (3.528)	4,916,307 (MT)
▶ Anchoveta South Peru - North Chile stock	Peru	South Peru-North Chile	Industrial fleet	5.000	1.732	3.000	3.464	Good Alternative (3.080)	242,302 (MT)
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Industrial anchoveta fishery	5.000	1.732	3.000	3.464	Good Alternative (3.080)	129,437 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Artisanal anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	198,532 (MT)
▶ Anchoveta Central - North Chile stock	Chile	Central North Region (Atacam...	Artisanal anchoveta fishery	3.873	2.236	3.000	3.464	Good Alternative (3.080)	
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Artisanal anchoveta fishery	5.000	2.236	3.000	3.464	Best Choice (3.283)	164,942 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Industrial anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	0 (MT)
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Artisanal fleet	5.000	2.644	4.000	3.464	Best Choice (3.679)	98,910 (MT)

Anchoveta - Stock status

ANCHOVETA			
REGION / METHOD	ABUNDANCE	FISHING MORTALITY	SCORE
Central - South Chile stock Southeast Pacific Chile Purse seines Central South Region (Valparaíso to Los Ríos - V-IX, XIV, XVI) Artisanal anchoveta and Araucanian herring/sardina común fishery	5.000: Very Low Concern	5.000: Low Concern	Green (5.000)
Central - South Chile stock Southeast Pacific Chile Purse seines Central South Region (Valparaíso to Los Ríos - V-IX, XIV, XVI) Industrial anchoveta and Araucanian herring/sardina común fishery	5.000: Very Low Concern	5.000: Low Concern	Green (5.000)
South Peru - North Chile stock Southeast Pacific Chile Purse seines North Region (Arica y Parinacota to Antofagasta - XV, I, II) Artisanal anchoveta fishery	5.000: Very Low Concern	5.000: Low Concern	Green (5.000)
South Peru - North Chile stock Southeast Pacific Chile Purse seines North Region (Arica y Parinacota to Antofagasta - XV, I, II) Industrial anchoveta fishery	5.000: Very Low Concern	5.000: Low Concern	Green (5.000)
Central - North Chile stock Southeast Pacific Chile Purse seines Central North Region (Atacama to Coquimbo - III, IV) Artisanal anchoveta fishery	5.000: Very Low Concern	3.000: Moderate Concern	Green (3.873)
North - Central Peru stock Southeast Pacific Peru Purse seines North-Central Peru Artisanal fleet	5.000: Very Low Concern	5.000: Low Concern	Green (5.000)
North - Central Peru stock Southeast Pacific Peru Purse seines North-Central Peru Industrial fleet	5.000: Very Low Concern	5.000: Low Concern	Green (5.000)
South Peru - North Chile stock Southeast Pacific Peru Purse seines South Peru-North Chile Industrial fleet	5.000: Very Low Concern	5.000: Low Concern	Green (5.000)

Anchoveta is a key forage species in all cases

Peru

- Frequent surveys/assessments
- Volatility accounted for in catch decision tables
- Management Strategy Evaluation with a positive outcome

Chile

- Frequent surveys/assessments
- Reference points that are more precautionary than MSY
- Dynamic B0
- All outcomes are positive

Anchoveta, Peru and Chile

SPECIES/STOCK	COUNTRY	MANAGEMENT UNITS	SPECIFIC FISHERY	C1	C2	C3	C4	RECOMMENDATION	VOLUME (MT)
Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Industrial fleet	5.000	2.236	4.000	3.464	Best Choice (3.528)	4,916,307 (MT)
▶ Anchoveta South Peru - North Chile stock	Peru	South Peru-North Chile	Industrial fleet	5.000	1.732	3.000	3.464	Good Alternative (3.080)	242,302 (MT)
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Industrial anchoveta fishery	5.000	1.732	3.000	3.464	Good Alternative (3.080)	129,437 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Artisanal anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	198,532 (MT)
▶ Anchoveta Central - North Chile stock	Chile	Central North Region (Atacam...	Artisanal anchoveta fishery	3.873	2.236	3.000	3.464	Good Alternative (3.080)	
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Artisanal anchoveta fishery	5.000	2.236	3.000	3.464	Best Choice (3.283)	164,942 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Industrial anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	0 (MT)
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Artisanal fleet	5.000	2.644	4.000	3.464	Best Choice (3.679)	98,910 (MT)

Anchoveta - Other Species

ANCHOVETA			
REGION / METHOD	SUB SCORE	DISCARD RATE/LANDINGS	SCORE
Central - South Chile stock Southeast Pacific Chile Purse seines Central South Region (Valparaíso to Los Ríos - V-IX, XIV, XVI) Artisanal anchoveta and Araucanian herring/sardina común fishery	2.236	1.000: < 100%	Yellow (2.236)
Central - South Chile stock Southeast Pacific Chile Purse seines Central South Region (Valparaíso to Los Ríos - V-IX, XIV, XVI) Industrial anchoveta and Araucanian herring/sardina común fishery	2.236	1.000: < 100%	Yellow (2.236)
South Peru - North Chile stock Southeast Pacific Chile Purse seines North Region (Arica y Parinacota to Antofagasta - XV, I, II) Artisanal anchoveta fishery	2.236	1.000: < 100%	Yellow (2.236)
South Peru - North Chile stock Southeast Pacific Chile Purse seines North Region (Arica y Parinacota to Antofagasta - XV, I, II) Industrial anchoveta fishery	1.732	1.000: < 100%	Red (1.732)
Central - North Chile stock Southeast Pacific Chile Purse seines Central North Region (Atacama to Coquimbo - III, IV) Artisanal anchoveta fishery	2.236	1.000: < 100%	Yellow (2.236)
North - Central Peru stock Southeast Pacific Peru Purse seines North-Central Peru Artisanal fleet	2.644	1.000: < 100%	Yellow (2.644)
North - Central Peru stock Southeast Pacific Peru Purse seines North-Central Peru Industrial fleet	2.236	1.000: < 100%	Yellow (2.236)
South Peru - North Chile stock Southeast Pacific Peru Purse seines South Peru-North Chile Industrial fleet	1.732	1.000: < 100%	Red (1.732)

- Relatively good data on catch composition across fisheries
- Some ETP species are caught (seabirds, rays, turtles and marine mammals) but all are either not main species or score low concern for fishing mortality and so come out yellow
- Only red score is of Pacific sardine/*Sardina spanola* (*Sardinops sagax*), which has been depleted for at least 20 years ('high concern' for abundance). Managers consider this due to environmental conditions being unfavorable. There is a limit on the catch of the species, but it is not clear what it is based on or whether it is likely to remain an obstacle to recovery ('moderate' concern for fishing mortality).

Anchoveta, Peru and Chile

SPECIES/STOCK	COUNTRY	MANAGEMENT UNITS	SPECIFIC FISHERY	C1	C2	C3	C4	RECOMMENDATION	VOLUME (MT)
Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Industrial fleet	5.000	2.236	4.000	3.464	Best Choice (3.528)	4,916,307 (MT)
▶ Anchoveta South Peru - North Chile stock	Peru	South Peru-North Chile	Industrial fleet	5.000	1.732	3.000	3.464	Good Alternative (3.080)	242,302 (MT)
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Industrial anchoveta fishery	5.000	1.732	3.000	3.464	Good Alternative (3.080)	129,437 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Artisanal anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	198,532 (MT)
▶ Anchoveta Central - North Chile stock	Chile	Central North Region (Atacam...	Artisanal anchoveta fishery	3.873	2.236	3.000	3.464	Good Alternative (3.080)	
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Artisanal anchoveta fishery	5.000	2.236	3.000	3.464	Best Choice (3.283)	164,942 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Industrial anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	0 (MT)
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Artisanal fleet	5.000	2.644	4.000	3.464	Best Choice (3.679)	98,910 (MT)

Anchoveta - Management Effectiveness

Peru (northern stock/fishery)

C3.1 (Management Strategy): Highly Effective Reference points set higher than recent estimates of BMSY; Harvest Control Rule accounts for changes in environmental conditions; separation of industrial and artisanal fleets, with regulations for both; MSE finds strategy to be effective at reducing mortality in years of low biomass (driven by unfavorable environmental conditions)

C3.2 (Bycatch Strategy): Moderately Effective no major concerns, **but the effectiveness of measures to reduce juvenile anchoveta bycatch are not yet clear**

C3.3 (Research and Monitoring): Highly Effective frequent surveys and stock assessments, multiple observer programs

C3.4 (Enforcement): Moderately Effective Measures to control fishing effort are in place, TACs have not been exceeded, evidence of transgressors facing sanctions; **but, no comprehensive analysis of the effectiveness of the enforcement system**

C3.5 (Inclusion): Moderately Effective **Evidence that while progress is being made, tools and approaches to allow for full stakeholder engagement are still in development (particularly in the artisanal sectors)**

Anchoveta - Management Effectiveness

Peru (shared stock)

C3.1 (Management Strategy): Moderately Effective Reference points set higher than estimates of BMSY and are dynamic for a number of species **but not all**; separation of industrial and artisanal fleets, with regulations for both; **no MSE; lack of international coordination (no joint harvest control rule)**

C3.3 (Research and Monitoring): Moderately Effective frequent surveys and stock assessments, **but no observer program**

Anchoveta - Management Effectiveness

Chile

C3.1 (Management Strategy): Moderately Effective Reference points set higher than estimates of BMSY and are dynamic for a number of species **but not all**; separation of industrial and artisanal fleets, with regulations for both and FMPs in place for many of the fisheries (**though not all**); **limited application of MSE**; **lack of international coordination (no joint harvest control rule for shared anchoveta stock)**; **fishing mortality may be too high on Spanish sardine**

C3.2 (Bycatch Strategy): Highly Effective no major concerns, many explicit requirements to mitigate impacts on ETP and other taxa implemented thorough discard and bycatch plans

C3.3 (Research and Monitoring): Highly Effective frequent surveys and stock assessments (the latter only where data allow), observer program in place

C3.4 (Enforcement): Highly Effective Measures to control fishing effort are in place, TACs have not been exceeded, evidence of transgressors facing sanctions; and government reports on the effectiveness of enforcement measures

C3.5 (Inclusion): Highly Effective Stakeholder roles very well defined, with transparent processes and adequate stakeholder inclusion

Anchoveta, Peru and Chile

SPECIES/STOCK	COUNTRY	MANAGEMENT UNITS	SPECIFIC FISHERY	C1	C2	C3	C4	RECOMMENDATION	VOLUME (MT)
Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Industrial fleet	5.000	2.236	4.000	3.464	Best Choice (3.528)	4,916,307 (MT)
▶ Anchoveta South Peru - North Chile stock	Peru	South Peru-North Chile	Industrial fleet	5.000	1.732	3.000	3.464	Good Alternative (3.080)	242,302 (MT)
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Industrial anchoveta fishery	5.000	1.732	3.000	3.464	Good Alternative (3.080)	129,437 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Artisanal anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	198,532 (MT)
▶ Anchoveta Central - North Chile stock	Chile	Central North Region (Atacam...	Artisanal anchoveta fishery	3.873	2.236	3.000	3.464	Good Alternative (3.080)	
▶ Anchoveta South Peru - North Chile stock	Chile	North Region (Arica y Parinaco...	Artisanal anchoveta fishery	5.000	2.236	3.000	3.464	Best Choice (3.283)	164,942 (MT)
▶ Anchoveta Central - South Chile stock	Chile	Central South Region (Valparaí...	Industrial anchoveta and Araucanian	5.000	2.236	3.000	3.464	Best Choice (3.283)	0 (MT)
▶ Anchoveta North - Central Peru stock	Peru	North-Central Peru	Artisanal fleet	5.000	2.644	4.000	3.464	Best Choice (3.679)	98,910 (MT)

Anchoveta - Ecosystem impacts

FISHERY	FISHING GEAR ON THE SUBSTRATE	MITIGATION OF GEAR IMPACTS	ECOSYSTEM-BASED FISHERIES MGMT	FORAGE SPECIES?	SCORE
Central - North Chile stock Southeast Pacific Chile Purse seines Central North Region (Atacama to Coquimbo - III, IV) Artisanal anchoveta fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
Southeast Pacific Chile Purse seines Central North Region (Atacama to Coquimbo - III, IV) Artisanal Inca scad/Chilean jack mackerel/jurel fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
Central - South Chile stock Southeast Pacific Chile Purse seines Central South Region (Valparaíso to Los Ríos - V-IX, XIV, XVI) Artisanal anchoveta and Araucanian herring/sardina común fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
Central - South Chile stock Southeast Pacific Chile Purse seines Central South Region (Valparaíso to Los Ríos - V-IX, XIV, XVI) Industrial anchoveta and Araucanian herring/sardina común fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
Southeast Pacific Chile Purse seines Central South Region (Valparaíso to Los Ríos - V-IX, XIV, XVI) Industrial Inca scad/Chilean jack mackerel/jurel fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
South Peru - North Chile stock Southeast Pacific Chile Purse seines North Region (Arica y Parinacota to Antofagasta - XV, I, II) Artisanal anchoveta fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
South Peru - North Chile stock Southeast Pacific Chile Purse seines North Region (Arica y Parinacota to Antofagasta - XV, I, II) Industrial anchoveta fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
Southeast Pacific Chile Purse seines North Region (Arica y Parinacota to Antofagasta - XV, I, II) Industrial Inca scad/Chilean jack mackerel/jurel fishery	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
North - Central Peru stock Southeast Pacific Peru Purse seines North-Central Peru Artisanal fleet	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
North - Central Peru stock Southeast Pacific Peru Purse seines North-Central Peru Industrial fleet	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)
South Peru - North Chile stock Southeast Pacific Peru Purse seines South Peru - North Chile Industrial fleet	Score: 4	Score: 0	Moderate Concern	Yes	Green (3.464)

Peru

C4.3 (EBFM): Lack of explicit policies at the government level, though the science agencies do count EBFM among their goals. Recent independent study indicating that current fishing mortality and expected anchovy depletion levels are not expected to have major negative impacts on other species in the ecosystem.

Chile

C4.3 (EBFM): Explicit policies in place at the government level; recent study that suggests positive change as a result though with some weaknesses still; another recent study indicating that current fishing mortality and expected anchovy depletion levels are not expected to have major negative impacts on other species in the ecosystem.

Agenda

Next Committee Calls

- June 18, 2025 | [[Click for your local time](#) (Unusual time)]
 - Topic: Sally Townsend, the Head of Sustainability at Australian GOED member Blackmores, will discuss the brand's new B-Corp certification. This accomplishment makes the company one of only two GOED members and three total omega-3-selling brands to earn the certification.
 - This call will be held at 8:00 UTC to accommodate our speaker and other committee members in the Eastern hemisphere who haven't been able to join committee calls due to time zone challenges.
- July 16, 2025 | [[Click for your local time](#)]
 - Topic: Austral Group's COO, Didier Saplane, will explain findings from the company's recent life cycle assessment (LCA) of its products from the Peruvian anchovy fishery.

An underwater photograph showing several large, dark, textured oyster reefs. A diver's hand is visible in the lower center, holding a long, thin spear. The background is a deep blue water.

Thanks for joining us.